


RTB295t

16 Channel digital output block



Features

- Sixteen channels of digital output.
- Interfaces with high-density digital output modules.
- Excitation voltage and signal termination per channel.
- Optional resettable fuses per channel.
- Reduces system and labor costs.

The RTB295t provides a high-density interface in the 130mm footprint for 16 channels of sourcing output. LED annunciation per channel. Optional resettable fuses per channel. All terminations provide screw cage-clamp terminations that accommodate # 14 AWG wire.

Specifications	
Compatibility:	digital output modules.
Number of Outputs (per common):	16 (8 / common).
Load Voltage:	24 – 75 Vdc.
Fuse (per channel): <i>optional</i>	500mA, resettable.
Indication:	Status LED, per channel.
Input Configuration:	Sourcing (PNP).
External Power:	24 Vdc.
External Terminations:	Screw-clamp terminal blocks, 14 AWG.
Interface:	25 pin D-sub, male.
Dimensions:	130 x 100 x 60mm.

Ordering Information

RTB295t 16 Channel digital output block,
14 AWG fixed TB1, 130 x
100mm.

Assembly Options

-F Fuse Option
-SW Auto/On/Off toggle switches
-TB TB1, fixed blocks, 12 AWG
-PTB TB1, pull-apart blocks, 12 AWG